


# Technical data sheet

## Blanking lid

Item number: 7404948



On-floor blanking lid to cover AIK on-floor junction trunking, suitable for the AIK/U trunking bases. The trunking lid is screwed tight to the Al side profiles of the trunking base. The lid slope extends beyond the trunking base at a 45° angle.



St

Steel

FS

Strip galvanized

### Master data

|                                    |                           |
|------------------------------------|---------------------------|
| Item number                        | 7404948                   |
| Type                               | AIKF D 35075              |
| Description 1                      | Blanking lid              |
| Description 2                      | for onfloor trunking      |
| Manufacturer                       | OBO                       |
| Material                           | Steel                     |
| Surface                            | Strip galvanized          |
| Surface standard                   | DIN EN 10346              |
| Smallest sales unit                | 1                         |
| Unit of quantity                   | Piece                     |
| Weight                             | 1124 kg                   |
| Weight unit                        | kg/100 pc.                |
| CO2 Footprint (GWP) Cradle-to-Gate | 26,1225 kg CO2e / 1 Piece |


# Technical data sheet

## Blanking lid

Item number: 7404948



### Dimensions



|             |        |
|-------------|--------|
| Length      | 800 mm |
| Width       | 350 mm |
| Height      | 75 mm  |
| Dimension b | 421 mm |
| Dimension h | 72 mm  |

# Technical data sheet

## Blanking lid

Item number: 7404948



### Technical data

|                             |                           |
|-----------------------------|---------------------------|
| Number of mounting openings | 0                         |
| Version for                 | Cover sloping on one side |
| Function                    | Standard                  |
| With connection opening     | no                        |
| With overhang               | yes                       |
| Mounting opening            | Without                   |