





Cable routing under the toughest conditions

Wide span systems from OBO Bettermann



Building Connections

OBO
BETTERMANN

Wide span systems for industrial plants

Optimum power supply


Industrial plants and technical companies require effective cable routing. Our cable trays and cable ladders from the wide span system ensure that cables can be routed easily over long distances.

The product range comprises cable trays and cable ladders with widths of between 200 and 600 mm and side heights of 110 to 200 mm.

All the elements of the system are constructed in a robust, long-life manner, in order to withstand the loads of everyday industrial work over a long period of time. With numerous fittings and fastening accessories for concrete and steel mounting, the system can be matched perfectly to a wide range of conditions.



High load-bearing capacity and large span width





Installation principle

Wide span cable tray systems

- 1 Wide span cable tray
- 2 90° bend
- 3 Mounting/branch piece
- 4 Straight connector
- 5 Barrier strip
- 6 Cover with sash lock

Which variants are available?

| Type | Side height in mm | | | | | | FS | FT | A2 | A4 |
|------|-------------------|-----|-----|-----|-----|-----|------------------|--------------------|-----------------|-----------------|
| | | 200 | 300 | 400 | 500 | 600 | Strip galvanised | Hot-dip galvanised | Stainless steel | Stainless steel |
| WKSG | 110 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| | 160 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| WKL | 110 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| | 160 | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ |
| WKL | 200 | ✓ | ✓ | ✓ | ✓ | ✓ | | ✓ | | |



Installation principle

Wide span cable ladder systems

- 1** Wide span cable ladders
- 2** 90° bend
- 3** T branch piece
- 4** Cross-over
- 5** Straight connector
- 6** Cover with sash lock
- 7** Barrier strip

OBO Bettermann Holding GmbH & Co. KG
P.O. Box 1120
58694 Menden
GERMANY

Customer Service
Tel.: +49 23 73 89 - 17 00
Fax: +49 23 73 89 - 12 38
export@obo.de

www.obo-bettermann.com

Building Connections

